


 **Saeco**



au *Lika*
Lirika

PHILIPS

Saeco is a trademark of the Philips Group

TRADITION MADE NEW. THE EVOLUTION.

Saeco has always been a pioneer in the OCS and small Ho.Re.Ca. locations market.

Today, thanks to its flair for development, to address the increasing needs of coffee consumption outside the home, the company created **Aulika** and **Lirika**, two coffee machines that express the best and most developed aspects of the OCS world.

Aulika is a perfect mix of tradition, innovation, design and technology, thanks to the synergies created between Saeco and Philips.

Lirika is the new entry-level reference point for OCS bean-to-cup, and guarantees superior performance and user-friendliness in a modern and compact shell.

DESIGNED FOR YOUR WORLD.

Saeco addresses the increasingly specific requirements of out-of-home consumption with two lines of machines that fully comply with customers' requests.

The need to be able to choose among different types of drinks, including fresh-milk-based specialties, the user-friendliness in self-service contexts, and the reduction of operating costs are only some of the requirements that Saeco addressed in designing **Aulika** and **Lirika**.

These two product lines were designed specifically for the B2B sector, and are equipped with revolutionary systems for the distribution of milk-based drinks, and have high capacity water and coffee canisters, a compact and innovative design and an operating software that was custom-made for the reference market, for better credit management, for instance.

In addition, Aulika and Lirika are 60335-2-75 certified for professional use, are energy efficiency class A rated and comply with the directives issued by FEA, the Swiss Sectorial Association for Power Appliances for households and industry.



THE MODELS



Aulika Top RI



Aulika Top



Aulika Mid



Aulika Focus



Lirika Plus



Lirika



Capacities
 1 kg coffee beans
 4 l water
 40 coffee grounds
 1 l drip tray

One-Touch cappuccino
 2 coffee cups simultaneously
 Hot water / steam wand
 Double pump, double boiler

Cappuccinatore
 Integrated Pinless Wonder

Base for accessories and
 with extra capacity for coffee
 grounds
 Water supply connection
 Key locks
 Steel conical blades



Capacities
 1 kg coffee beans
 4 l water
 40 coffee grounds
 1 l drip tray

One-Touch cappuccino
 2 coffee cups simultaneously
 Hot water / steam wand
 Double pump, double boiler

Cappuccinatore
 Integrated Pinless Wonder

Base for accessories and
 with extra capacity for coffee
 grounds
 Water supply connection
 (optional)
 Key locks
 Steel conical blades



Capacities
 1 kg coffee beans
 4 l water
 18 coffee grounds
 1 l drip tray

Milk from steam wand
 2 coffee cups simultaneously
 Hot water / steam wand
 Double pump, double boiler

Cappuccinatore
 Siluro on steam wand

Base for accessories (optional)
 Key locks
 Steel conical blades



Capacities
 350 gr coffee beans
 2.2 l water
 18 coffee grounds
 1 l drip tray

One-Touch cappuccino
 2 coffee cups simultaneously
 Hot water / steam wand
 Double pump, double boiler

Cappuccinatore
 Integrated Pinless Wonder

Cup warmer
 Pre-ground coffee option
 Steel conical blades



Capacities
 500 gr coffee beans
 2.5 l water
 15 coffee grounds
 0.5 l drip tray

Milk from steam wand
 2 coffee cups simultaneously
 Hot water / steam wand
 Single circuit

Cappuccinatore
 Pannarello on steam wand
 Siluro (optional)

Ceramic blades



Capacities
 500 gr coffee beans
 2.5 l water
 15 coffee grounds
 0.5 l drip tray

Milk from steam wand
 2 coffee cups simultaneously
 Hot water / steam wand
 Single circuit

Cappuccinatore
 Pannarello (optional)
 Siluro (optional)

Ceramic blades



auLika

Aulika is the perfect combination of aesthetics and professional performance.

It has a clean, rational design and unparalleled technology: double hydraulic circuit, conical blades, and large water and coffee capacity (for the Aulika Top and Mid models).

All these characteristics make this machine perfect for locations with high daily consumptions.

All Aulika models deliver a wide range of coffee-based and fresh-milk-based beverages, as well as hot water and steam.

The wide graphic display can manage both icons and text messages in several languages.

The interface is equipped with 8 direct selection keys that make the machine easy to use and program.

The software architecture was designed by levels and content, thus making it possible to customise and manage credit / consumption fully. Cleaning and maintenance activities, too, are made easier by the fact that all components requiring regular checks can be removed.

The Top version is integrated by a base with extra capacity for grounds collection and can also be connected directly to the water supply.

Aulika is the Saeco range addressed at the most demanding out of home professionals.

www.aulika.com



A "PLUG AND PLAY" REVOLUTION.

Aulika is equipped with "one touch" logic, and automatically provides cappuccino and milk coffee, thanks to a special next generation cappuccinatore, the "Pinless Wonder".

Pinless Wonder is a project originated in the Philips research laboratories and applied to Saeco products: this system, inserted in the machine nose, offers fresh-milk-based drinks of the highest quality and taste.

The milk froth and temperature are perfect, in terms of texture and consistency: these are the two essential factors that guarantee the brewing of excellent cappuccino and tasty milk coffee. In addition, milk frothing is always regular, with no "splash" effect.

The patented Pinless Wonder technology is less sensitive to lack of or insufficient cleaning of the cappuccinatore, and maintains constant frothing performance even in the most demanding operating conditions.

Pinless Wonder is available only in the Aulika Top and Aulika Focus versions.

TOP QUALITY.

Saeco is striving to achieve maximum satisfaction for coffee-based drinks lovers.

Drink quality in the cup is constantly checked and monitored. For this reason, the various production stages of the Aulika Top and Focus models are characterised by continuous test and tastings, to ensure that the final product is the absolute best. Our in-house team of coffee experts carries out regular checks at the end of the assembly line, prior to packaging.

And the search for perfection does not end here: Saeco regularly requests the professionals of the Centro Studi Assaggiatori, the most advanced sensory evaluation unit in Italy, to test the products dispensed by the main machines against a very strict reference protocol.

The results are unanimous: Saeco has been recognized for the quality of the products, especially the milk coffee delivered by its machines, thanks to the perfect relationship between the milk frothing temperature and compactness of the resulting emulsion.

These results are a tribute to the excellence of the Saeco machines and guarantee best product quality.



AULIKA. A CLOSE LOOK.



Lirika

Lirika represents the simplicity, compactness and performance of a machine whose ideal environment is the office or small Ho.Re.Ca. locations.

It has a modern and essential design, high capacity water and coffee canisters and is incredibly easy to use.

Its wide display showing intuitive icons and text messages lets the user select short or long coffees and hot water or steam delivered through an independent wand.

Lirika represents the best Saeco know-how in a high quality compact shape: pre-infusion system, energy efficiency class A boiler, ceramic blades, and removable coffee brewing unit (with aroma adjustment in the Plus version) to facilitate cleaning and maintenance operations.

The Lirika Plus version, thanks to the "pannarello", prepares particularly creamy and tasty cappuccinos and milk coffees.





SIMPLICITY MEETS QUALITY.

Lirika is equipped with a user-friendly, intuitive professional interface.

It has a dot matrix display that send clear messages with icons and colours.

The machine uses a traffic-light colour code system: green means ok, yellow is used for warnings or to show what to do, red is for alarms or machine restart operations.

Moreover, the machine always shows a progress bar for the current activity, so that the user is aware of the status of the request.

LIRIKA. A CLOSE LOOK.

Height-adjustable coffee spout (2 positions)

Adjustable coffee aroma (Plus version)

3 colours graphic display with icons

User-friendly professional interface



Pannarello milk frother

Brewing unit removable and washable



Stainless steel finishing

Very slim (only 21.5 cm wide)

TECHNICAL DATA



Aulika Top RI



Aulika Top



Aulika Mid

Structural specifications			
Dimensions (w x h x d)	334 x 574 x 452 mm	334 x 574 x 452 mm	334 x 455 x 452 mm
Weight	23 kg	22 kg	16 kg
Colour	silver / black	silver / black	black
Coffee grounds extra capacity base	standard equipment* (metal / silver ABS)	standard equipment* (metal / silver ABS)	no
Base-integrated accessories drawer	standard equipment	standard equipment	no
Electrical specifications			
Power supply	220-240 V/50-60 Hz	220-240 V/50-60 Hz	230 V/50 Hz
Absorbed power	1400 W	1400 W	1400 W
Water specifications			
Hydraulic system	2 circuits (double pump + double boiler)	2 circuits (double pump + double boiler)	2 circuits (double pump + double boiler)
Hot water / steam wand	independent	independent	independent
Water connections			
Water supply	independent tank and water supply	independent tank	independent tank
Water supply connection	standard equipment - 3/4"	optional (with the water supply kit)	no
Capacities			
Coffee beans container	1 kg	1 kg	1 kg
Water tank	4 l, removable	4 l, removable	4 l, removable
Coffee grounds capacity	40	40	18
Other specifications			
Cappuccinatore	Pinless Wonder; completely automatic, mounted on the machine nose	Pinless Wonder; completely automatic, mounted on the machine nose	Siluro on the steam wand
Coffee grinder	with steel conical blades	with steel conical blades	with steel conical blades
Grinder setting	manual, 8 levels	manual, 8 levels	manual, 8 levels
Coffee strength adjustment	manual, from 6 to 10 gr in 6 steps	manual, from 6 to 10 gr in 6 steps	manual, from 6 to 10 gr in 6 steps
Electronic pre-infusion	yes	yes	yes
Simultaneous dispensing of 2 coffee cups	yes	yes	yes
Coffee dispenser height adjustment	yes (85-105 mm)	yes (85-105 mm)	yes (85-105 mm)
Possibility of using latte macchiato glasses (14 cm)	yes, with dispenser in rear position	yes, with dispenser in rear position	yes, with dispenser in rear position
Interface			
Graphic display with icons and text messages	yes	yes	yes
One touch cappuccino / latte macchiato	yes	yes	no
Certification			
Approval pursuant to the 60335-2-75 professional standard	yes	yes	yes

*Supplied separately; installed by the operator



Aulika Focus



Lirika Plus



Lirika

Structural specifications			
Dimensions (w x h x d)	334 x 380 x 452 mm	215 x 381 x 430 mm	215 x 381 x 430 mm
Weight	15 kg	7 kg	7 kg
Colour	full silver	silver / black	black
Coffee grounds extra capacity base	no	no	no
Base-integrated accessories drawer	no	no	no
Electrical specifications			
Power supply	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz
Absorbed power	1400 W	1850 W	1850 W
Water specifications			
Hydraulic system	2 circuits (double pump + double boiler)	single circuit	single circuit
Hot water / steam wand	independent	with pannarello	independent
Water connections			
Water supply	independent tank	independent tank	independent tank
Water supply connection	no	no	no
Capacities			
Coffee beans container	350 gr	500 gr	500 gr
Water tank	2.2 l, removable	2.5 l, removable	2.5 l, removable
Coffee grounds capacity	18	15	15
Other specifications			
Cappuccinatore	Pinless Wonder; completely automatic, mounted on the machine nose	Siluro optional	Siluro optional
Coffee grinder	with steel conical blades	ceramic blades	ceramic blades
Grinder setting	manual, 8 levels	yes	yes
Coffee strength adjustment	manual, from 6 to 10 gr in 6 steps	yes (light 6.5, medium 8, strong 10)	aroma fixed
Electronic pre-infusion	yes	yes	yes
Simultaneous dispensing of 2 coffee cups	yes	yes	yes
Coffee dispenser height adjustment	yes (85-105 mm)	yes (105-145 mm)	yes (105-145 mm)
Possibility of using latte macchiato glasses (14 cm)	yes, with dispenser in rear position	yes	yes
Interface			
Graphic display with icons	yes (with icons and text messages)	yes	yes
One touch cappuccino / latte macchiato	yes	no	no
Certification			
Approval pursuant to the 60335-2-75 professional standard	yes	yes	yes

ACCESSORIES

Astra



Compressor refrigerator Astra to keep milk fresh, with a capacity of 4 litres. It can be combined with both Aulika (Focus version excluded) and Lirika models.

Technical data

Dimensions (w x h x d)	225 x 340 x 467 mm
Weight	11 kg
Power supply	220-230V/50-60 Hz
Power consumption	96 W
Capacity	4 l
Refrigerating unit	compressor

Milk Cooler



Milk Cooler to keep milk fresh, with a capacity of 1 litre. The cooling is generated by a Peltier cooling system with no CFCs.

Technical data

Dimensions (w x h x d)	150 x 215 x 190 mm
Weight	1.7 kg
Power supply	100-240V/50-60 Hz
Power consumption	20 W
Capacity	1 l

ACCESSORIES

Aulika Mid Base



Painted metal and ABS matt black base, in family feeling with Aulika Mid, with 2 drawers for sugar bags, stirrers etc. Its use with the machine is suggested if the Astra refrigerator or Milk Cooler are present.

Lirika Siluro Cappuccinatore



Stainless steel Siluro cappuccinatore, to be mounted on the steam wand for the frothing of creamy cappuccinos and milk drinks. It can be used also in combination with the Milk Cooler.

SOLUTIONS THAT MEET YOUR EXPECTATIONS.

For several years now Saeco has been developing its projects in partnership with important players in the world of coffee brewing outside the home.

The willingness of the company to address the needs of the market and of the users more and more closely has led to the development of customised solutions. Moreover, the company supports its products throughout the development and sales phases and beyond, thanks to its solid after-sales service.

Saeco has also a dedicated team and a set of on-line and off-line tools to support the customer on a daily basis, in terms of information, technical skills, spare parts and accessories.

Saeco, your ideal partner.

